CABI BIOSCIENCE
EGHAM LIBRARY
-4 DEC 2003

CZECH MYCOLOGY

FORMERLY ČESKÁ MYKOLOGIE

Publication of the Czech Scientific Society for Mycology

VOLUME 53
(2001–2002)

EDITORIAL BOARD

Editor-in-Chief
ZDENĚK POUZAR (Praha)

Managing editor
JAROSLAV KLÁN (Praha)

VLADIMÍR ANTONÍN (Brno)
ROSTISLAV FELLNER (Praha)
ALEŠ LEBEDA (Olomouc)
JIŘÍ KUNERT (Olomouc)
HANS PETER MOLITORIS (Regensburg)
LUDMILA MARVANOVÁ (Brno)
PETR PIKÁLEK (Praha)
MIRKO SVRČEK (Praha)
PAVEL LIZOŇ (Bratislava)

PRAHA 2002

CONTENTS

BANDONI R. J. and INDERBITZIN P.: On a new Atractiella 265
DIETRICH W. and MÜLLER J.: Die Rost-, Brand- und Falschen Mehltaupilze des tschechischen Teiles des Erzgebirges (Krušné hory) 89
DVOŘÁKOVÁ R.: Myxomycetes in Bohemian Karst and Hřebeny Mts. 319
GÖNCZÖL J. and MARVANOVÁ L.: Anguillospora mediocris sp. nov. from streams in Hungary 309
GULIS V. and SUBERKROPP K.: The effect of excluding plant litter on the aquatic hyphomycete conidia in a headwater stream 275
HOLEC J.: Remarks to the taxonomy of Gymnopilus josserandii based on records from the Bohemian Forest (Czech Republic) 133
HROUDA P.: Pleurotoid fungi of the family Polyporaceae in the Czech Republic and Slovakia 29
HÝSEK J. and BROŽOVÁ J.: The role of some saprophytic micromycetes and the fungus Micromucor rammanianus var. ramannianus in forest soils 161
KHAN M. R., SAHA M. L., ANISUZZAMAN M. and SLÁVIKOVÁ E.: Yests isolated from the lakes Dhanmondi and Ramna, Bangladesh 223
KUBÁTOVÁ A., ČERNÝ M. and NOVÁKOVÁ A.: New records of micromycetes from the Czech Republic. IV. Acrodontium salmoneum, Chaunopycnis alba and Cylindrocarpostylus gragarius, and notes on Dactylaria lanosa and Trichoderma saturnisporum 237
KUNERT J. and NOVOTNÝ R.: Degradation of human hair by three soil fungi. An electron microscopic study 189
LIŠKA J.: In memoriam Prof. Zdeněk Černohorský (1910–2001) 351
MARVANOVÁ L. and BÄRLOCHER F.: Hyphomycetes from Canadian streams. VI. Rare species in pure cultures 1
MOSTAFA M. E., ZOHRI A. A. and KOTBY R. S.: Lipid, sterol and ergosterol accumulation in isolates of dematiaceous hyphomycetes 149
NIKOLCHEVA L. G. and BÄRLOCHER F.: Phylogeny of Tetracladium based on 18S rDNA 285
NOVOTNÝ D.: Diplogelasinospora princeps (Sordariales), the first record in the Czech Republic 203
– Contribution to the knowledge of the mycoflora in roots of oaks with and without tracheomycotic symptoms 211
PIECKOVÁ E. and JESENSKÁ Z.: Fusarium moniliforme, F. subglutinans and Aspergillus flavus in maize products in Slovakia 229
POUZAR Z.: Notes on taxonomy and distribution of Aphyllophorales I. 121
SEIFERT K. A., GAMS W. and LOUIS-SEIZE G.: Arthroxylaria elegans, a new coprophilous anamorphic fungus allied with the Xylariaceae, with notes on the genus Bisporostibella 297
ŠIMONOVIČOVÁ A.: Supplement to the Checklist of non-vascular and vascular plants of Slovakia. The species of microscopic fungi of the order Eurotiales 173
ŠPAČEK J.: Ludmila Marvanová – 70th birtday 259
TOMŠOVSKÝ M.: Remarks on the distribution of Hymenochaete carpatica in Central and Eastern Europe 141
Book Review (Gryndler M.) 119
(Holec J.) 210

(Krátká J.) 236
(Marková J.) 318
(Zemánková M.) 308
Contents and index of generic and specific names of fungi Vol. 53 (2001–2002)
(Landa J.)

New taxa and new combinations

New genus

Arthroxylaria Seifert et W. Gams 299

New species

Anguillospora mediocris Gonczol et Marvanová 310 – *Atracitiella columbiana* Bandoni et Inderbitzin 266 – *Dendrothele wojewodae* Pouzar 125 – *Thanatephorus brevisporus* Pouzar 122

New combinations

Neolentinus degener (Kalchbr. in Fr.) P. Hrouda 54

Absidia 162, 163;
– *corymbifera* 166;
– *cylindrospora* 214, 217;
– *glauca* 164;
Acanthodochium 303;
Acremonium 219;
– *butyri* 214, 217;
– *curvulum* 214, 217, 218, 219;
Acrodontium salmoneum 238–240;
Aecidium grossulariae 98;
– *ranunculacearum* 98;
Agaricus cyathiformis 54;
– *lecomtei* 61;
– *pulmonarius* 81;
– *schaefferi* 54;
– *strigosus* 61;
– *tephrotrichus* 71;
– *tubaeformis* 54;
Alatospora acuminata 4, 278, 280;
– *constricta* 3, 5, 25;
– *flagellata* 3;
Albugo amaranthi 94;
– *candida* 94, 113;
Alternaria 154, 162, 164;
– *alternata* 154;
– *chlamydospora* 154;
– *macrospora* 154;
– *tenuis* 151, 152;
– *tenuissima* 151, 154, 214, 217;
Anamylospora pulcherrima 288, 291, 292;
Anguillospora 309, 314, 315, 317;
– *cresca* 313;
– *curvula* 314;
– *filiformis* 280, 281, 313;
– *furtiva* 313;
– *gigantea* 314;
– *longissima* 313;
– *marina* 313;
– *mediocris* 310;
– *pseudolongissima* 314;
– *rosea* 313;
– *rubescens* 313;
Antromycopsis 71;
– *ruzena* 71;
Aphanoascus 190;
Aquaphila albicans 315;
Arborispora 7;
– *dolichovirga* 4–7;
Arcyria affinis 323;
– *cinerea* 323, 331, 340, 343, 344, 347;
– *denudata* 323, 333;
– *ferruginea* 323;
– *incarnata* 323, 340, 342;
– *insignis* 323;
– *major* 323, 326, 327;
– *minuta* 323;
– *obvelata* 323;
– *oerstedtii* 323;
– *pomiformis* 323, 334, 339, 342, 344;
– *stipata* 323;
Armillaria 213;
Arthrocladiella mougeotii 288, 291, 292;
Arthroderma ciferrii 288, 291, 292;
Arthrographis cuboidea 304;
Arthroxylaria 303, 304, 306;
– *elegans* 298;
Articulospora tetracladia 280, 281;
Aspergillus 152, 153, 163, 164, 174;
– *amstelodami* 152;
– *chevalieri* 174, 177;
– *clavatus* 174, 183, 184;
– *duricaulis* 175, 182, 184;
– *fischeri* 152, 175, 178;
– *fischerianus* 178;
– *flavipes* 178;
– *flavus* 230–234;
– var. *columnaris* 175, 182, 184;
– *fumigatus* 152, 153, 214, 217;
– *glaucoaffinis* 175, 177;
– *janus* 175, 183, 184;
– *melleus* 175, 182, 184;
– *niger* var. *cinnamomeus* 175, 182, 184;
– *parasiticus* 175, 183, 184;
– *parvulus* 175;
– *penicilloides* 175, 183, 184;
– *pseudoglaucus* 177;
– *repens* 152, 177;
– *reptans* 175, 177;
– *rugulosus* 175, 177;
– *rugulovalvus* 177;
– *sparsus* 288, 291, 292;
– *versicolor* 214, 217;

– *violaceo-fuscus* 175, 182, 184;
Atractiella 265, 271;
– *brunaudiana* 265, 271, 272;
– *columbiana* 265, 271, 272;
– *delectans* 272;
– *solani* 272;
Aureobasidium pullulans 166, 225, 227, 288, 291, 292;

Badhamia 326;
– *dubia* 323, 326, 328, 329, 347;
Basipetospora chlamydosporis 306;
– *rubra* 306;
– *variabilis* 306;
Beauveria bassiana 288, 291, 292;
– *brongniartii* 214, 217;
Bipolaris neergaardii 154;
Bispora 162;
– *betulina* 154;
Bisporostilbella fusca 304, 305;
Blumeria 289;
– *graminis* 288, 291, 292;
Botryosphaeria ribis 288, 291, 292;
Botryotrichum 163;
Botrytis 164;
– *cinerea* 214, 217;
Bremia lactucae 94;
Briosia ampelophaga 304;
Bulgaria inquinans 288, 289, 290, 291, 292;
Byssoascus 290;
– *striatosporus* 288, 291, 292;
Byssochlamys 176, 184;
– *fulva* 176, 183;
– *nivea* 176, 183;

Calcarispora hiemalis 7–10;
Calcarisporium 162;
Calomyxa metalica 323, 329, 344;
Candida 226, 227;
– *suecica* 226, 227;
Cantharellus carbonarius 37;
Cephalosporium 162, 163, 219;
Ceratiomyxa fruticulosa 323;
– var. *poroides* 323;
Chaetomium 164;
– *globosum* 152;
Chaetophoma 163;
Chaunopycnis alba 240–242, 243;
– *ovalispora* 242;
Chrysomyxa ramischiae 98;
Chrysosporium 162, 199;
– *tropicum* 190, 192, 199;
Circinella 163;
Cladobotryum 249;
Cladoconidium articulatum 8, 9, 11;
Cladosporium 162, 163, 164, 304;
– *cladosporoides* 151, 152, 154, 214, 217;
– *herbarum* 154;
– *oxysporum* 154;
– *resinae* 166;
– *sphaerosporum* 154;
Coccodinium bartschii 288, 291, 292;
Cochliobolus australiensis 154;
– *lunatus* 154;
– *pallescens* 154, 155;
– *spicifer* 152, 155;
– *tuberculatus* 155;
Coleosporium campanulae 98, 112, 116;
– *euphrasiae* 98, 113, 114, 115;
– *melampyri* 116;
– *petasitis* 99, 112;
– *senecionis* 99, 112, 114, 116;
– *tussilaginis* 99;
Colletotrichum 236;
– *acutatum* 236;
– *coccodes* 236;
– *gleosporoides* 236;
– *lagenarium* 236;
– *lindemuthianum* 236;
Comatricha elegans 323;
– *nigra* 323;
– *pulchella* 323;
Comminutispora 288, 291, 292;
Coniothyrium fuckelii 219;
Coprinus comatus 210;
Coremiella cubispora 304;
Craterium leucocephalum 323;
– *minutum* 323;
Crepidotus 64, 67;
Cribraria argillacea 323;
– *aurantiaca* 323;
– *cancellata* 323;
– *macrocarpa* 323;
– *microcarpa* 323;
– *persoonii* 324, 329, 330;

– *rufa* 324;
– *violacea* 324;
– *vulgaris* 324;
Cryphonectria havanensis 288, 291, 292;
Cunninghamella 163;
Curvularia clavata 155;
– *oryzae* 155;
– *ovoidea* 155;
Cylindrocarpon 162, 163, 214, 217;
– *destructans* 213, 214, 217, 219;
Cylindrocarpostylus 249;
– *gregarius* 245, 246, 247;
Cylindrocladium 249;
– *gregarium* 245, 249;
Cystofilobasidium 226;
Cyttaria darwinii 288, 291, 292;

Dactylaria 249;
– *lanosa* 238, 249–251;
Daldinia concentrica 302;
Debaryomyces hansenii var. *fabryi* 226, 227;
Dematophora 303;
Dendrothele 127;
– *acerina* 127, 128, 129;
– *alliacea* 128, 129;
– *amygdalispora* 128, 129–130;
– *citrisporella* 128, 130;
– *commixta* 129, 130;
– *dryina* 129, 130;
– *globulispora* 126;
– *griseocana* 127, 129, 130;
– *incrustans* 127;
– *tetracornis* 128, 130;
– *wojewodae* 125–127, 129;
Diachea leucopoda 324;
Dichotomomyces 176, 184;
– *cejpii* 176, 183;
Dictydiaethalium plumbeum var. *ferrugineum* 324;
Dictyoarthrinopsis kellyi 191, 193, 196, 199, 200;
Diderma 347;
– *cingulatum* 324, 329, 331, 347;
– *crustaceum* 324, 347;
– *spumarioides* 324, 347;
– *testaceum* 324;
Didymium 347;
– *difforme* 324;
– *melanospermum* 324;
– *minus* 324;
– *nigripes* 324, 347;
– *serpula* 324, 347;
– *squmulosum* 324, 347;
Diplocladium 249;
– *gregarium* 245, 249;
Diplogelasinospora 203;
– *grovesii* 203, 208;
– *innequalis* 203, 208;
– *princeps* 203–209;
Doratomyces stemonitis 214, 217;
Drechslera graminea 153;
– *teres* 153;

Echinostelium apitectum 324, 331, 332;
– *minutum* 324, 331, 334, 339, 340;
Eladia saccula 181;
Embellisia didymospora 151, 152, 155;
Emericella 152, 153, 176;
– *rugulosa* 175, 176, 182, 184;
Endogone 163;
Enerthenema papillatum 324, 339, 344;
Engyodontium 214, 217;
Enteridium lycoperdon 324;
Entyloma arnicale 92, 110, 113, 114;
Epicoccum nigrum 155, 215, 217;
Erysiphe 289;
– *ortonii* 288, 291, 292;
Eupenicillium 162, 177;
– *angustiporcatum* 162;
– *javanicum* 177, 183;
– *nepalense* 162;
– *pinetorum* 177, 182, 184;
– *shearii* 177, 182, 184;
Eurotium 152, 153, 177;
– *chevalieri* 177, 182, 184;
– *pseudoglaucum* 175, 177, 182, 184;
– *repens* 175, 177;

Faerberia 29, 32–33, 35–37;
– *carbonaria* 31–33, 36–39, 46, 47;
Fennellia 152, 153, 178;
– *flavipes* 178, 183;
Filosporella 309, 314, 315;
– *versimorpha* 314, 315;
Flabellospora irregularis 17;

Frommeella tormentillae 99;
Fuligo cinerea 324, 329, 347;
– *leviderma* 324;
– *rufa* 324, 347;
– *septica* 324;
– var. *candida* 324;
– var. *flava* 324;
Fusarium 162, 163, 200, 215, 217, 313;
– *dlamini* 230;
– *lini* 153;
– *lycopersici* 153;
– *moniliforme* 191, 193, 194, 197–200, 230–234;
– *napiforme* 230;
– *nygamai* 230;
– *oxysporum* 215, 217;
– *proliferatum* 230, 234;
– *semitectum* 231;
– *solani* 153, 200, 213, 215–220;
– *subglutinans* 230–234;

Galerina phillipsii 210;
Geniculosporium 240;
Geopetalum 36, 37;
– *carbonarium* 31, 36, 37;
– *geogenium* 36;
– *petaloides* 36, 37;
Geosmithia emersonii 181;
– *swiftii* 181;
Geotrichum 227;
Gigaspora 120;
Gilmaniella fumicola 166;
Gliocladium 163, 164;
– *catenulatum* 215, 216, 217;
– *roseum* 219;
Glomerella 236;
– *graminicola* 236;
Graphium 215, 217;
– *silanum* 288, 291, 292;
Gymnoascus 163;
Gymnopilus 133, 139;
– *josserandii* 134–139;
– *subbellulus* 134, 137, 138, 139;
– *subsphaerosporus* 134, 137, 138, 139;

Hamigera 178;
– *avellanea* 178, 181;
Hansenula 226;
Hebeloma cylindrosprum 120;
Helvella terrestris 288, 291, 292;
Hemitrichia calyculata 324;
– *clavata* 324;
– *serpula* 324;
Hoehnelomyces 265, 272;
Hohenbuehelia 33, 36, 37;
– *petaloides* 36, 37;
Hormiscium 163;
Humicola 162, 163;
– *fuscoatra* 164, 166;
– *grisea* 155, 164;
Hymenochaete 142;
– *carpatica* 141, 142, 143, 144–147;
– *corrugata* 142;
– *subfuliginosa* 141;
Hypoxylon fragiforme 302;

Keratinophyton terreum 190, 191, 192, 195, 199;

Laccaria bicolor 120;
– *laccata* 120;
Lamproderma arcyrionema 324;
– *arcyrioides* 324;
– *scientillans* 324;
Lateriramulosa quadriradiata 2, 9–13, 24;
Lecidea fuscoatra 288, 291, 292;
Lentinellus cochleatus 53;
Lentinus 29, 30, 32, 35, 41, 51;
– *cochleatus* 35;
– *crinitus* 61;
– *cyathiformis* 54;
– *degener* 54;
– *lecomtei* 61;
– *schaefferi* 54;
– *strigosus* 61;
– *suavissimus* 31, 33, 41–43, 45, 47, 50;
– *suffrutescens* 58;
– *tigrinus* 30, 31, 43–47;
– var. *dunalii* 50;
Lentodiopsis albida 67;
Leocarpus fragilis 324;
Lepolichen coccophorus 288, 291, 292;
Leptographium 249;
Leveillula taurica 288, 291, 292;
Licea biforis 324, 333, 335;
– *kleistobolus* 324, 334, 336, 340;

– *minima* 324, 334–339;
– *operculata* 325, 339;
– *parasitica* 325, 339, 340, 341;
– *variabilis* 325;
Lindquistia 303;
Loramyces juncicola 313;
Lunulospora curvula 281;
Lycogala epidendrum 325;
– *flavo-fuscum* 325;

Magdalaenaea monogramma 4, 7;
Malbranchea pulchella 152;
– var. *sulphurea* 152;
Mariannaea elegans 215, 217;
Masoniella 163;
Melampsora caprearum 99;
– *epitea* 99, 113;
– *euphorbiae* 99;
– *hypericorum* 99, 113;
– *larici-populina* 99;
– *lini* 100;
– *populnea* 100, 113;
– *vernalis* 100;
Melampsoridium betulinum 100;
Memnoniella echinata 155;
Merimbla 178;
– *ingelheimensis* 178, 182, 184;
Metatrichia floriforms 325, 333;
– *vesparium* 325, 333;
Microbotryum dianthorum 110, 113;
– *lychnidis-dioicae* 110;
– *marginale* 110, 112, 113, 115;
– *pustulatum* 110, 113, 115;
– *scabiosae* 110, 113;
– *silenes-inflatae* 92, 110, 113;
– *stellariae* 110, 113;
– *stygium* 110, 113, 116;
– *violaceum* 111, 113;
Micromucor 163, 164;
– *ramannianus* 163, 164;
– var. *ramannianus* 162, 164–170;
Microsphaera friestii 288, 291, 292;
Mirandina dactylelloides 315;
– *flagelliformis* 315;
Moelleroclavus 303;
Monascus ruber 306;
Monilia pruinosa 306;
Monilinia laxa 288, 291, 292;
Monocillium 163;
Monodictys castaneae 152, 155;
Mortierella 162, 163, 164, 169;
– *nana* 164;
– *nigrescens* 163;
– *ramanniana* 163, 164, 169;
– *renispora* 163;
Mucilago crustacea 325, 347;
Mucor 162, 163;
– *hiemalis* 166, 215, 217;
– f. *hiemalis* 164;
– *piriformis* 166;
– *ramannianus* 162, 163, 169;
– *rouxii* 152;
Mycelium radicis atrovirens 219;
Mycosphaerella tassiana 156;
Myrothecium 163;
Myxotrichum 289, 290;
– *deflexum* 288, 291, 292;

Naucoria subsphaerospora 134, 137;
Nectria aureofulva 288, 291, 292;
Neolentinus 29, 32, 35, 36, 51, 54, 71;
– *adhaerens* 31, 32, 34, 35, 46, 47, 51–54;
– *degener* 30–32, 45, 47, 51, 54–56, 66, 81;
– *kauffmannii* 51;
– *lepideus* var. *tubaeformis* 58;
Neosartorya 178;
– *fischeri* 175, 178;
Neotoma 298;
Nodulisporium 240, 303;
Nyssopsora echinata 92, 93, 100, 113;

Oedocephalum glomerulosum 215, 217;
Oidiodendron 289, 290;
– *tenuissimum* 288, 291, 292;
Ophiostoma 215, 216, 217;
– *piceae* 215, 217, 220;
– *piliferum* 288, 291, 292;
– *querci* 220;
– *stenoceras* 220;
Ossicaulis lignatilis 71;
Ovularia aplospora 94;

Paecilomyces 162, 163, 178, 184;
– *carneus* 178, 182, 184;
– *farinosus* 166, 178, 183;
– *fulvus* 166;

– *marquandii* 179, 182, 184;
– *varioti* 166;
Panellus mitis 53;
– *serotinus* 64, 67;
– *stypticus* 43;
Panus 29, 32, 33, 36, 51, 54, 58, 61, 66;
– *conchatus* 31, 45, 48, 59–61, 71, 80;
– *lecomtei* 48, 59, 61–63, 84;
– *rudis* 61;
– *strigosus* 31–33, 35, 61;
– *urnula* 54;
Paradiacheopsis fimbriata 325, 331, 334, 339, 340, 347;
– *solitaria* 325, 340, 342;
Paraarthrocladium amazonense 315;
Paxillus involutus 120;
– *panuoides* 64;
Pellicularia flavescens 124;
Penicillium 152, 162, 163, 164, 169, 174, 179, 219;
– *angustiporcatum* 162;
– *arenicola* 179, 182, 184, 215, 217;
– *asperum* 177;
– *atramentosum* 179, 182, 184;
– *aurantiogriseum* 215, 217;
– *avellaneum* 178;
– *brasilianum* 179, 182, 184;
– *canescens* 215, 217;
– *charletii* 180;
– *chrysogenum* 152, 164, 169, 215, 217;
– *clavigerum* 179, 183, 184;
– *commune* 215, 217;
– *coprobium* 179, 182, 184;
– *coprophilum* 179;
– *crustosum* 152;
– *cyclopium* 179, 183, 184;
– *cyaneum* 179, 182, 184;
– *deleae* 215, 216, 217, 218, 220;
– *expansum* 166, 215, 217;
– *fellutanum* 180, 183, 184;
– *flavovirens* 180, 182, 184;
– *funiculoum* 215, 217;
– *geophilum* 180, 182, 184;
– *glabrum* 215, 216, 217, 218, 219;
– *glandicola* 215, 216, 217, 218, 219;
– *glandicolor* 213;
– *glaucum* 177;
– *griseofulvum* 180, 182, 184, 215, 218;
– *herquei* 180, 182, 184;
– *hordei* 215, 218;
– *implicatum* 180, 182, 184, 215, 218;
– *indonesiae* 177;
– *italicum* 166;
– *janczewski* 215, 218;
– *janthinellum* 215, 218;
– *javanicum* 177;
– *kananaskense* 162;
– *lanosum* 180, 182, 184;
– *luteum* 180, 183, 184;
– *manginii* 215, 218;
– *megasporum* 180, 182, 184;
– *melinii* 180, 183, 184;
– *minioluteum* 215, 216, 218, 219, 220;
– *montanense* 180, 182, 184;
– *nalgoviense* 180, 183, 184;
– *nepalense* 162;
– *nigricans* 163;
– *purpurogenum* 181;
– var. *rubrisclerotium* 181, 182, 184;
– *roquefortii* 215, 218;
– *sacculum* 181, 182, 184;
– *simplicissimum* 215, 216, 218, 219;
– *smithii* 181, 182, 184;
– *solitum* 215, 218;
– *spinulosum* 164, 215, 216, 218;
– *sulphureum* 181, 183, 184;
– *thomii* 215, 218;
– *verrucosum* var. *cyclopium* 179;
– *verruculosum* 181, 183, 184;
Perichaena chrysosperma 325, 342;
– *corticalis* 325, 334, 342, 343;
– *depressa* 325, 342;
Peronospora acetosae 113;
– *agrestis* 94, 113;
– *alchemillae* 94, 113;
– *alpicola* 92, 94, 112, 114, 115;
– *alta* 94;
– *arabidis-glabrae* 94;
– *arabidopsis* 95;
– *arvensis* 95;
– *barbareae* 95;
– *calotheca* 95;
– *chrysosplenii* 95, 113, 116;
– *conglomerata* 95;
– *debaryi* 95;
– *dentariae* 95, 112, 113;

– *digitalis* 95;
– *erodii* 95;
– *esulae* 95;
– *euphorbiae* 95;
– *ficariae* 95;
– *grisea* 95;
– *hesperidis* 96;
– *myosotidis* 96, 113;
– *niessleana* 96;
– *obovata* 96;
– *parasitica* 96;
– *phyteumatis* 96, 113;
– *ranunculi* 96;
– *rumicis* 96;
– *sanguisorbae* 96, 113;
– *thlaspeos-alpestris* 97, 113, 116;
– *trifoliorum* 97, 113;
– *trivialis* 97;
– *verbasci* 97;
– *violae* 97;
Peziza echinospora 288, 291, 292;
Phialocephala 249;
Phialophora 162;
Phoma 162;
Phragmidium mucronatum 100;
Phyllactinia guttata 288, 291, 292;
Phyllotopsis 29, 32, 33, 35, 63;
– *nidulans* 31, 33, 34, 46, 49, 63–65;
Physarum bivalve 325, 347;
– *cinereum* 325, 347;
– *decipiens* 325, 343, 347;
– *leucophaeum* 325, 347;
– *leucopus* 325, 347;
– *nutans* 325, 334, 340, 344;
– *rubiginosum* 325;
– *virescens* 325, 347;
– *viride* 325;
– var. *aurantiacum* 325, 347;
Phytophthora 212;
Plasmopara angelicae 97, 112;
– *chaerophylli* 97, 112;
– *densa* 97, 113;
– *epilobii* 97, 113, 114;
– *mei-foeniculi* 97, 113;
– *pimpinellae* var. *pimpinellae* 97;
– *pusilla* 97, 112, 113;
– *pygmaea* 98, 112;
– *umbelliferarum* 98, 113;
Pleospora herbarum 156;
Pleurocybella porrigens 81;
Pleurospedium 25;
Pleurotus calyptratus 31, 33, 49, 66–69;
– *citrinopileatus* 72, 74;
– *columbinus* 72, 78, 80;
– *conchatus* 61, 63;
– *cornucopiae* 31, 33, 36, 45, 49, 66, 67, 71–74, 80, 81, 84;
– *dryinus* 31, 33, 34, 49, 66, 67, 69–71, 80, 81, 84;
– *eryngii* 31, 49, 66, 72, 75, 78, 84;
– var. *eryngii* 75;
– var. *ferulae* 75;
– var. *nebrodensis* 75;
– *florida* 81;
– *mollis* 69;
– *nebrodensis* 75;
– *ostreatus* 31, 33, 34, 49, 66, 68, 72, 74, 78–81, 83;
– f. *columbinus* 78;
– f. *salignus* 78;
– var. *pulmonarius* 83;
– *pulmonarius* 31, 49, 50, 54, 66, 67, 71, 72, 74, 80–84;
– *sajor-caju* 72;
– *salignus* 78, 80;
– *sapidus* 72;
Poronia 303;
– *punctata* 299;
Pseudogymnoascus roseus 288, 291, 292;
Pseudohydnum gelatinosum 251;
Pseudoperonospora humuli 93, 98;
Psora deciphrens 288, 291, 292;
Puccinia acetosae 100, 112, 113, 114;
– *aegopodii* 101, 113;
– *angelicae-mamillata* 101, 112, 115;
– *arenariae* 101, 112;
– *arenariicola* 101, 112;
– *argentata* 101;
– *asarina* 101;
– *bistortae* 101, 112, 113, 115;
– *bromina* 102;
– *calthae* 102, 112;
– *calthicola* 102, 112, 114;
– *cari-bistortae* 102;
– *centaureae* 102, 113;
– *conglomerata* 92, 103, 112, 114;

– *cotonata* 103, 112, 114;
– *deschampsiae* 103, 112;
– *distincta* 116;
– *epilobii* 103, 105, 113;
– ssp. *palustris* 103;
– *festucae* 103, 113;
– *galii-verni* 103, 112, 113;
– *graminis* 103;
– *holcina* 103, 113;
– *imperatoriae* 93, 103, 112, 114, 116;
– *lagenophorae* 103, 116;
– *lapsanae* 104;
– *laschii* 104, 112, 113, 114;
– var. *palustris* 104;
– *leontodontis* 104, 113;
– *luzulae-maximae* 93, 104, 112, 114;
– *maculosa* 104, 112;
– *major* 104, 113;
– *malvacearum* 104, 113;
– *menthae* 104, 113;
– *mulgedii* 92, 105, 112, 114, 115;
– *opizii* 105;
– *paludosa* 105, 113, 114, 115;
– *perplexans* 98, 105, 113;
– *persistens* 91, 105;
– *pimpinellae* 105;
– *pimpinellae-bistortae* 102;
– *poae-nemoralis* 105;
– *poarum* 105;
– *praecox* 105, 113;
– *pulverulenta* 105;
– *punctiformis* 106;
– *pygmaea* 106, 112, 114;
– *retifera* 106;
– *schroeteri* 93, 106;
– *silvatica* 106, 112;
– *taraxaci* 106;
– *thlaspeos* 92, 106, 113, 115;
– *urticata* 106, 113;
– var. *urticae-acutae* 106;
– *virgae-aureae* 92, 107, 112, 114;
Pucciniastrum circaeae 107;
– *epilobii* 107, 112, 113;
– *pyrolae* 107;
Pullularia 163;
Pyrenophora avenae 151, 156;

Quadricladium aquaticum 20;
Resupinatus 33;
Rhizina 289;
– *undulata* 288, 291, 292;
Rhizocarpon 351;
Rhizomucor miehei 288, 291, 292;
Rhizopus 162, 163;
Rhodotorula 226, 227;
– *glutinis* 226, 227;
– *mucilaginosa* 226, 227;
Russula brunneoviolacea 210;

Saccharomyces 227;
– *cerevisiae* 225, 226;
Sarcoscypha austriaca 288, 291, 292;
Scopulariopsis brevicaulis 166, 190, 199;
Selenaspora guernisacii 288, 291, 292;
Sesquicillium 242;
– *candelabrum* 215, 218, 220;
Setosphaeria rostrata 152, 156;
Sigmoidea aurantiaca 315;
Sordaria fimicula 288, 291, 292;
Sparassis crispa 210;
Spathularia flavida 288, 291, 292;
Sphaerotheca cucurbitae 288, 291, 292;
Spicaria 163;
Sporothrix 162;
Sporotrichum 163, 164;
– *thermophile* 152;
Stachybotrys 162, 163;
– *atra* var. *microspora* 156;
– *chartarum* 151, 152, 156;
– *elegans* 152, 156;
Stemonitis axifera 325;
– *fusca* 325;
Stemonitopsis subcaespitosa 325, 343;
– *typhina* 325;
Stemphylium consortiale 151, 152, 153;
Stenocladiella neglecta 4;
Stereocaulon paschale 288, 291, 292;
Stilbella fusca 249;
Streptomyces 215, 218;
Sympodiocladium frondosum 13, 15;

Talaromyces 162, 181, 184;
– *avellaneus* 178, 181;
– *bacillisporus* 181, 183;
– *emersonii* 181, 183;
– *unicus* 162;

Taphrina maculans 288, 291, 292;
Tapinella panuoides 64;
Tetrabrunneospora ellisii 2, 13–16, 24;
Tetrachaetum elegans 281;
Tetracladium 9, 285–293;
– *apiense* 286, 287, 289, 291, 292;
– *breve* 286, 293;
– *furcatum* 286, 287, 291, 292;
– *marchalianum* 286, 287, 289, 291, 292, 293;
– *maxilliforme* 286, 287, 291, 292;
– *palmatum* 8, 286, 293;
– *setigerum* 286, 287, 289, 291, 292, 293;
Thanatephorus brevisporus 122–125;
– *fusisporus* 123, 124;
– *ochraceus* 124;
Thecaphora semins-convolvuli 111;
– *trailii* 92, 111, 113, 114, 115;
Thecaphorella antherarum 111;
Thekopsora geoppertiana 107;
– *guttata* 107, 112;
– *symphyti* 107;
– *vaccinii* 107, 112, 113;
Thielavia 163;
Titaea maxilliformis 286;
Tolypocladium geodes 242;
Torula graminis 156;
Trachyspora intrusa 107, 113;
Tranzschelia fusca 108, 112;
Tricellula aurantiaca 22;
Trichia botrytis 325;
– *contorta* 325;
– *decipiens* 325;
– *favoginea* 325, 333;
– *munda* 325, 329, 343, 344, 345;
– *persimilis* 325;
– *scabra* 325, 333;
– *varia* 325, 333;
Trichocladium 162;
Trichoconis antillana 315;
Trichoderma 152, 162, 163, 164, 219, 252, 253;
– *atroviride* 216, 218, 220;
– *citrinoviride* 216, 218;
– *ghananse* 252;
– *hamatum* 216, 218;
– *harzianum* 152, 216, 218;
– *koningii* 216, 218;
– *lignorum* 219;
– *minutisporum* 216, 218;
– *saturnisporum* 238, 251, 252, 253;
– *viride* 152, 164, 166, 216, 218, 219, 220;
Trichophyton mentagrophytes 190;
Trichosporon 226;
– *cutaneum* 227;
Tricladium caudatum 15, 17, 18, 25;
– *chaetocladium* 280, 281;
Tridentaria setigera 286;
Trifuscospora irregularis 17, 19, 24;
– *subsessilis* 20;
Triglyphium 22;
– *alabamensa* 20, 22, 24;
– *album* 22;
Triphragmium ulmariae 108, 112;
Triscelophorus monosporus 280, 281;
Truncatella 163;
Tuber excavatum 288, 291, 292;
Tubifera ferruginosa 325;

Ulocladium alternare 156;
– *atrum* 152, 153, 156, 157;
– *botrytis* 156;
– *chartarum* 157;
– *consortiale* 157;
– *tuberculatum* 151, 157;
Umbelopsis versiformis 219;
Uncinula mori 288, 291, 292;
Urocystis agropyri 111;
– *anemones* 111, 112;
– *fischeri* 111, 113;
– *ranunculi* 111;
Uromyces acetosae 108;
– *airae-flexuosae* 93, 108, 112;
– *betae* 108;
– *dactylidis* 98, 108;
– *ficariae* 108;
– *genistae* 108;
– *geranii* 108, 113;
– *junci* 109, 113;
– *laburni* 91, 109;
– *orobi* 109;
– *phyteumatum* 92, 109, 112;
– *poae* 109, 113;
– *polygoni-avicolariae* 109;
– *rumicis* 109, 113;
– *trifolii* 109;

– *trifolii-repentis* 109;
– var. *trifolii-repentis* 109;
– *valerianae* 109, 113;
– *viciae-fabae* 92, 109;
Ustilago filiformis 111, 113, 115;
– *oxalidis* 111, 116;
– *pustulata* 92;
– *scrobiculata* 111;
– *striiformis* 111, 112, 113, 114;
Ustilentyloma brefeldii 112, 113, 115;
Uthatobasidium fusisporum 123;

Varicosporium elodeae 25;
– *trimosum* 2, 21, 22, 25;
Verticillium 163;
– *albo-atrum* 164;
Volucrispora graminea 26;
Volutella 163;

Xenodochus carbonarius 109, 113;
Xylaria 291, 302, 303, 306;
– *acuta* 302;
– *apiculata* 302;
– *arbuscula* 302;
– *carpophila* 298;
– *castorea* 302;
– *cornu-damae* 302;
– *enteroleuca* 302;
– *fioriana* 302;
– *hypoxylon* 299;
– *longipes* 302;
– *mali* 302;
– *moelleroclavus* 303;
– *polymorpha* 302;
Xylocoremium 303;
– *flabelliforme* 303;

Ypsillina graminea 23, 26;

Zygorhynchus 163;
– *moelleri* 216, 218;